

Division of Environmental Health

100 Central Avenue Cheyenne, WY 82007 Phone: 307-633-4090 Fax: 307-633-4038

CFM: License Posted: Inspection Posted: Follow-Up Required: YES

Date: 06/05/2024 Time: 02:30 PM Inspector: 13,14

Follow-Up Inspection

Establishment Wyoming Rib and Chop House		Address 400 W Lincolnway		City/State Cheyenne WY		Zip Code 82001	Telephone 307 514-0271
License/Permit # CO210746		Permit Holder Preston Chlasson WRCH	Purpose of Inspection RCH Cheyenne, Follow-Up		Est. Type Full Service	Risk Category Medium	
ļ.	FOODBO	RNE ILLNESS RISK F	ACTORS	AND PUBLIC	C HEALTH INTERVI	ENTIONS	
IN=in compliance	OUT=not in complia	nce N/O=not observed	N/A=no	t applicable	COS=corrected on-site	e during inspection	R=repeat violation

Co	mpliance Status	cos	R
	Supervision	1	
1	Person in charge present, demonstrates knowledge and performs duties		
	Employee Health		
2	Management, food employee and conditional employee knowledge, responsibilities and reporting		
3	Proper use of exclusions and restrictions and reporting		
	Good Hygienic Practices		
4	Proper eating, tasting, drinking, or tobacco use		
5	No discharge from eyes, nose, and mouth		
	Preventing Contamination by Hands		
6	Hands clean and properly washed		
7	Minimize bare hand contact with ready to eat foods		
8	Hand washing sinks properly supplied and accessible		
	Approved Source		
9	Foods obtained from an approved source		
10	Foods received at proper temperatures		
11	Food in good condition, safe, and unadulterated		
12	Required records available: shellstock tags, parasite destruction		
	Protection from Contamination	10. 10	
13	Foods separated and protected from cross contamination		
14	Food-contact surfaces: cleaned and sanitized		
15	Proper disposition of returned, previously served, reconditioned, and unsafe food		

	Compliance Status				
		Potentially Hazardous Food Time/Temperature Con	trol		
16		Proper cooking time and temperatures			
17		Proper reheating procedures for hot holding			
18		Proper cooling time and temperatures			
19		Proper hot holding temperatures			
20		Proper cold holding temperatures			
21	OUT	Proper date marking and disposition			
22		Time as a public health control: procedures and record			
		Consumer Advisory			
23		Consumer advisory provided for raw or undercooked foods			
		Highly Susceptible Populations			
24		Pasteurized foods used; prohibited foods not offered			
		Food/Color Additives and Toxic Substances			
25		Food additives: approved, properly stored, properly used			
26		Toxic substances properly identified, stored, and used			
		Conformance with Approved Procedures			
27		Compliance with variance, specialized process, reduced oxygen packaging criteria, and HACCP plan			

Risk factors are improper practices or procedures identified as the most prevalent contributing factors of foodborne illness or injury. Public Health Interventions are control measures to prevent foodborne illness or injury.

GOOD RETAIL PRACTICES

Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

IN=in compliance OUT=not in compliance N/O=not observed N/A=not applicable COS=corrected on-site during inspection R=repeat violation

		cos	R
22	Safe Food and Water	300 00	
28	Pasteurized eggs used where required		
29	Water and ice from approved source		
30	Variance obtained for specialized processing methods		
	Food Temperature Control		
31	Proper cooling methods used; adequate equipment for temperature control		
32	Plant food properly cooked for hot holding		
33	Approved thawing methods used		
34	Thermometers provided and accurate		
	Food Identification	77 3	
35	Food properly labeled; original container		
	Prevention of Food Contamination	201	
36 OL	Insects, rodents, and animals not present / outer openings protected		>
37	Contamination prevented during food preparation, storage and display		
38	Personal cleanliness		
39	Wiping cloths: properly used and stored		
40	Washing fruits and vegetables		

		cos	R
	Proper Use of Utensils	es 1	
41	In-use utensils: properly stored		
42	Utensils, equipment and linens: properly stored, dried, and handled		
43	Single-use/single-service articles: properly stored and used		
44	Slash-resistant and cloth glove use		
	Utensils, Equipment and Vending		
45	Food and non-food contact surfaces are cleanable, properly designed, constructed, and used		
46	Warewashing facilities: installed, maintained, and used; test strips		
47	Non-food contact surfaces clean		
	Physical Facilities	11 1	
48	Hot and cold water available; adequate pressure		
49	Plumbing installed; proper backflow devices		
50	Sewage and waste water properly disposed		
51	Toilet facilities: properly constructed, supplied, and cleaned		
52	Garbage and refuse properly disposed; facilities maintained		
53	Physical facilities installed, maintained, and clean		
54	Adequate ventilation and lighting; designated areas used		

	Violations					
Item Number	All critical violations shall be corrected within 10 calendar days. An extension may be grant days. All extensions must be in writing. Repeat violations requiring additional follow-up in					
	Number of Observed Critical Violations: 2 Number of Obser	ved Non-Critical Violations:				
3.60 - *Da Observat	er date marking & disposition. ate Marking - Ready-to-Eat - Potentially Hazardous Food - Date Marking* - ion: Date markings are inconsistent. Dates are either day 1 or day 7. e Action: Date marks need to be day 1 or day 7 but not both. Stay consister					
36. Insected	ts, rodents, and animals not present / outer openings					
Observat	ter Openings - Protected - This is a Non-Critical item ion: Light visible at bottom of back door. e Action: Repair so that no light is visible.					
36. Insected	ts, rodents, and animals not present / outer openings					
. , ,	iii) - *Pests-Controlling Pests* - This is a Critical item ion: Cockroaches found in dish wash area of kitchen below 3-compartment	sink.				
under the Corrective Clean all	nducted follow up inspection; inspectors collected 1 sticky trap behind the desirable sink by the dishwasher was still dirty with roach droppings. Exaction: Obtain report from pest control company and forward to our office. roach poop off walls. You Date: 06/10/2024					
999 - Cor						
water line Samples the roach labeling v	Observation: Conducted follow on 6/5/24; The facility laid some sticky traps and Orkin placed some bait in a hole of the sink waste water line in the men's restroom. The rear door still has a big gap at the bottom where insects and rodents can enter the facility. Samples of the roaches were taken by the health inspectors for review. A repeat follow up inspection will be required on 6/10/24 for the roaches will be charged \$100. At the repeat follow up inspection there must not be any signs of roaches or insects. Date labeling will be checked on 6/10/24 to ensure consistency in using either the prep date or the use by date. This next inspection will be a repeat follow-up inspection and a \$100 fee will be charged.					
Person in	Charge (Signature)	Date 06/05/2024				
Inspector	(Signature) 100	Date 06/05/2024				

Violations (continued)

21. Proper date marking & disposition.

3.60 - *Date Marking - Ready-to-Eat - Potentially Hazardous Food - Date Marking* - This is a Critical item

Observation: Date markings are inconsistent. Dates are either day 1 or day 7.

Corrective Action: Date marks need to be day 1 or day 7 but not both. Stay consistent throughout kitchen with chosen date marks.

36. Insects, rodents, and animals not present / outer openings protected

8.84 - Outer Openings - Protected - This is a Non-Critical item

Observation: Light visible at bottom of back door. Corrective Action: Repair so that no light is visible. (Repeat)

36. Insects, rodents, and animals not present / outer openings protected

8.79 (a) (iii) - *Pests-Controlling Pests* - This is a Critical item

Observation: Cockroaches found in dish wash area of kitchen below 3-compartment sink.

6/5/24 conducted follow up inspection; inspectors collected 1 sticky trap behind the dishwasher that a lot of roaches on it. The wall under the sink by the dishwasher was still dirty with roach droppings.

Corrective Action: Obtain report from pest control company and forward to our office. Continue to lay sticky traps and monitor them. Clean all roach poop off walls.

Correct-by Date: 06/10/2024

999. General Comments

999 - Comments

Observation: Conducted follow on 6/5/24; The facility laid some sticky traps and Orkin placed some bait in a hole of the sink waste water line in the men's restroom. The rear door still has a big gap at the bottom where insects and rodents can enter the facility. Samples of the roaches were taken by the health inspectors for review. A repeat follow up inspection will be required on 6/10/24 for the roaches will be charged \$100. At the repeat follow up inspection there must not be any signs of roaches or insects. Date labeling will be checked on 6/10/24 to ensure consistency in using either the prep date or the use by date. This next inspection will be a repeat follow-up inspection and a \$100 fee will be charged.