

TATTOO ESTABLISHMENT INSPECTION REPORT TENNESSEE DEPARTMENT OF HEALTH DIVISION OF ENVIRONMENTAL HEALTH

| ESTABLISHMENT Mozaic Ink Tattoo Studio | | | | | DATE 06/02/23 | | 127-1746 | SCORE 100/100 | | |
|---|---------------------------|--|---------------------|-------|------------------|---------------|--|---|--|---|
| LOCATION STAFF 266 A S Lowry St Brennen Boone | | | | | | | EST. NO. 665319352 | | | |
| | TY, S | 0.699 (1.00507106) | YPE ermanent | | | - 10 | | JRPOSE utine | | |
| PI | ERMI | TTEE | | | | | A107 | DLLOW- UP () YES EQUIRED NO | | |
| | | PROHIBITED ACTS | | | | | | LIGHTING | | |
| 1 | 1. | Minor clients, tattoo removal, unhealthy si | ite | 2 | | 19 | | Adequate | | 1 |
| | 2. | Licensed artist not on duty | | 2 | | | | VENTILATION | | |
| | | PHYSICAL FACILITIES | | | | 20 | | Sufficient, installed, maintained | 1 | 1 |
| | 3. | Work area separated | | 1 | | | | GENERAL OPERATION | S | |
| * | 4. | Autoclave meets minimum time, temperate | ure, pressure | 5 | * | 21 | | Toxic items stored, labeled, use | ed | 5 |
| | 5. | | | | | | T | Premises maintained free of litter, unnecessary articles, | | |
| WATER | | | CIA ACES | | 22 | 2 | unauthorized personnel, animals, clean, maintenance, | | 1 | |
| * 6. Water source approved, hot and cold under pressure | | | r pressure | 5 | | | | equipment properly stored | | |
| | | SEWAGE | | | | | | TATTOO EQUIPMENT & | & UTENSILS | |
| * | 7. | Sewage and liquid waste disposal | | 5 | | 23 | | Properly installed, maintained, | constructed, designed | 1 |
| | | PLUMBING | | 7 | * | 24 | | No reuse of single use articles | | 5 |
| | 8. | Installed, maintained | | 1 | | 25 | | Clean, free of abrasives and cle | aners | 1 |
| * | 9. | Cross-connection, backflow, back-siphona | ige | 5 | | 26 | | Aisles unobstructed | | 1 |
| | | TOILET/HANDWASHING FACIL | ITIES | | 0111 | | | TATTOO OPERATIONS | | |
| | 10. | Installed, designed, number, convenient, a | vailable | 5 | * | 27. | | Good hygienic practices, prope | r handwashing | 5 |
| | | Enclosed, tight-fitting doors, fixtures clean, toilet tissue, | | | | 28 | | Clean clothing, lap cloth used, | manufacture of the same of the | 1 |
| | 11. | covered receptacles, antibacterial soap, dis towels/hand drying devices | sposable | 1 | | 29. | | Employees with infectious lesion from tattooing | ons on hands restricted | 5 |
| | GARBAGE & REFUSE DISPOSAL | | | 27-13 | * | 30 | | Monthly microbiological monit | | 5 |
| | 12. | Containers clean, adequate number, covere rodent proof. Outside storage area clean, a | | 1 | | 31. | | Tubes and needles sterilized in Equipment sterilized for no mo | | 5 |
| covered, controlled incineration | | | | * | 32 | _ | Work room equipped and resto | | 5 | |
| INSECT/RODENT CONTROL | | | | * | 33. | \rightarrow | Sterile instruments properly has | | 5 | |
| | 13. | Presence/evidence of insects, rodents, hart | oorage-outer | 5 | * | 34 | - | Reusable instruments properly | handled | 5 |
| | | openings protected. | | | | 35 | \rightarrow | Approved dyes or pigments | | 1 |
| _ | | FLOORS/WALLS/CEILINGS/FUR | | | | 36 | - | Tattoo log available | | 1 |
| _ | 14. | Floors—constructed, drained, clean, good | repair | 1 | _ | 37. | | Instructions provided on care o | f tattoo/body piercing | 1 |
| | 15. | Walls—constructed, clean, good repair | PACE CONSERVATOR OF | 1 | | | 4 | ADMINISTRATION | | - |
| | 16. | Ceilings/attached equipment—constructed repair | | 1 | | 38 | - | Infections reported | | 0 |
| | 17. | Work area furnishings—sanitized between | clients | 1 | | 39. | | Current permit/license posted | | 0 |
| | 18. | Work area furnishings-clean, good repair | r | 1 | | 40 | , | Most current complete inspection | on report available | 0 |

Failure to correct any violations of critical items within seven (7) days or failure to correct violations of any noncritical items within fourteen (14) days may result in suspension of your tattoo establishment permit. If a second critical violation is committed within the period of one (1) year (calendar or otherwise), the tattoo studio shall be subject to a civil penalty of up to five hundred dollars (\$500) and the tattoo studio's permit may be revoked. Items identified as constituting imminent health hazards shall be corrected immediately or operations shall cease. You are required to post the tattoo establishment permit in a conspicuous manner and to keep this inspection report available at this facility for public disclosure to any person who requests to review it. You have the right to request a review regarding this report by filing a written request with the local health department within ten (10) days of the date of this report. T.C.A. Sections 62-38-201 et. seq., 68-1-103, 4-5-202, and 4-5-320.

| Signature of Person in Charge _ | Amon | Ву | 132 | EHS |
|------------------------------------|----------|-------------|----------|-----|
| Date of Signature | 06/02/23 | Time in/out | 11:00 AM | |

TATTOO ESTABLISHMENT INSPECTION REPORT TENNESSEE DEPARTMENT OF HEALTH DIVISION OF ENVIRONMENTAL HEALTH

Establishment Information



| bserved Violations | | | |
|--------------------|--|--|--|
| tal # 0 | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Operator changed locations. Permitted op at new location. Establishment is ready to open.

^{***}See page at the end of this document for any extra Additional Comments that could not be displayed in this space.

| Observed Violations (cont'd) | 2 |
|------------------------------|----------------------|
| Observed Violations (cont'd) | |
| Observed Violations (cont'd) | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Additional Comments (contint | |
| Additional Comments (cont'd) | Source: Cmurno City |
| Source Type: Water | |
| | Source: Smyrna City |
| | Source. Smyrria City |
| | Source. Smyrna City |
| | Source. Smyrria City |
| | Source. Smyrria City |

Establishment Information

Many people have hepatitis C and do not know it

CDC now recommends all adults be tested for hepatitis C



Licensed facilities use safe tattooing and/or piercing techniques that are proven to prevent hepatitis C and other infections such as HIV



Get Tested, Treatment Cures





