

**TENNESSEE DEPARTMENT OF HEALTH
DIVISION OF ENVIRONMENTAL HEALTH
FOOD INSPECTION DATA**



Establishment Information

Establishment Name: Travelin Tom's Of Wilson County #2

Establishment Number #: 605320796

NSPA Survey – To be completed if #57 is "No"

Age-restricted venue does not affirmatively restrict access to its buildings or facilities at all times to persons who are twenty-one (21) years of age or older.

Age-restricted venue does not require each person attempting to gain entry to submit acceptable form of identification.

"No Smoking" signs or the International "Non-Smoking" symbol are not conspicuously posted at every entrance.

Garage type doors in non-enclosed areas are not completely open.

Tents or awnings with removable sides or vents in non-enclosed areas are not completely removed or open.

Smoke from non-enclosed areas is infiltrating into areas where smoking is prohibited.

Smoking observed where smoking is prohibited by the Act.

Warewashing Info

Machine Name	Sanitizer Type	PPM	Temperature (Fahrenheit)
Three comp sink	Quat		

Equipment Temperature

Description	Temperature (Fahrenheit)
Micromatic Dispensary RIC	38

Food Temperature

Description	State of Food	Temperature (Fahrenheit)

Observed Violations

Total # 1

Repeated # 0

46: No drain boards on three comp sink

TENNESSEE DEPARTMENT OF HEALTH
DIVISION OF ENVIRONMENTAL HEALTH
FOOD INSPECTION DATA



Establishment Information

Establishment Name: Travelin Tom's Of Wilson County #2

Establishment Number : 605320796

Comments/Other Observations

- 1: (IN): PIC demonstrates knowledge by correctly answering questions regarding principles applicable to the food operation.
- 2: Establishment has employees illness policy
- 3: (IN) There are no food workers observed working with specific reportable symptoms or illnesses.
- 4: (N.O.) No food workers present.
- 5: (N.O.) No food workers present at the time of inspection.
- 6: No food workers present at time of inspection
- 7: (NO) No food workers present during the inspection.
- 8: (IN): All handsinks are properly equipped and conveniently located for food employee use.
- 9: See sources
- 10: (NO): No food received during inspection.
- 11: No food present at time of inspection
- 12: (NA) Shell stock not used and parasite destruction not required at this establishment.
- 13: No food present at time of inspection
- 14: (IN) All food contact surfaces of equipment and utensils cleaned and sanitized using approved methods.
- 15: (IN) No unsafe, returned or previously served food served.
- 16: (NA) No raw animal foods served.
- 17: (NA) No TCS foods reheated for hot holding.
- 18: Cooling of foods is not applicable for the food service establishment
- 19: (NA) Establishment does not hot hold TCS foods.
- 20: See temps
- 21: (NO) There are no foods requiring date marking in the facility at the time of the inspection.
- 22: (NO) Time as a public health control is not being used during the inspection.
- 23: (NA) Establishment does not serve animal food that is raw or undercooked.
- 24:
- 25: (NA) Establishment does not use any additives or sulfites on the premises.
- 26: (IN) All poisonous or toxic items are properly identified, stored, and used.
- 27: (NA) Establishment is not required to have a variance or HACCP plan, performs no special processes.
- 57:
- 58:

***See page at the end of this document for any violations that could not be displayed in this space.

Additional Comments

See last page for additional comments.

***See page at the end of this document for any extra Additional Comments that could not be displayed in this space.

Establishment Information

Establishment Name: Travelin Tom's Of Wilson County #2

Establishment Number : 605320796

Comments/Other Observations (cont'd)**Additional Comments (cont'd)*****See last page for additional comments.***

Establishment Information	
Establishment Name:	Travelin Tom's Of Wilson County #2
Establishment Number #:	605320796

Sources			
Source Type:	Water	Source:	City
Source Type:	Food	Source:	Travelin Toms Corporation
Source Type:		Source:	
Source Type:		Source:	
Source Type:		Source:	
Additional Comments			
Three comp sink not set up during inspection			