



TENNESSEE DEPARTMENT OF HEALTH
FOOD SERVICE ESTABLISHMENT INSPECTION REPORT

SCORE
100

Establishment Name: WHATABURGER # 1288
Address: 630 South Cumberland Street
City: Lebanon
Inspection Date: 03/06/2024
Risk Category: 01
Number of Seats: 68

Risk Factors are food preparation practices and employee behaviors most commonly reported to the Centers for Disease Control and Prevention as contributing factors in foodborne illness outbreaks. Public Health interventions are control measures to prevent illness or injury.

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

Table with 2 main columns: Supervision, Employee Health, Good Hygienic Practices, Preventing Contamination by Hands, Approved Source, Protection from Contamination, Cooking and Reheating of Time/Temperature Control For Safety (TCS) Foods, Cooling and Holding, Date Marking, and Time as a Public Health Control, Consumer Advisory, Highly Susceptible Populations, Chemicals, Conformance with Approved Procedures.

Good Retail Practices are preventive measures to control the introduction of pathogens, chemicals, and physical objects into foods.

GOOD RETAIL PRACTICES

Table with 2 main columns: Safe Food and Water, Food Temperature Control, Food Identification, Prevention of Food Contamination, Proper Use of Utensils, Utensils and Equipment, Physical Facilities, Administrative Items, Compliance Status, Non-Smokers Protection Act.

Failure to correct any violations of risk factor items within ten (10) days may result in suspension of your food service establishment permit. Repeated violation of an identical risk factor may result in revocation of your food service establishment permit.

Signature of Person In Charge: [Signature] Date: 03/06/2024
Signature of Environmental Health Specialist: [Signature] Date: 03/06/2024

Additional food safety information can be found on our website, http://tn.gov/health/article/eh-foodservice

TENNESSEE DEPARTMENT OF HEALTH
 DIVISION OF ENVIRONMENTAL HEALTH
 FOOD INSPECTION DATA



Establishment Information

Establishment Name: WHATABURGER # 1288
 Establishment Number #: 605313989

NSPA Survey – To be completed if #57 is “No”

Age-restricted venue does not affirmatively restrict access to its buildings or facilities at all times to persons who are twenty-one (21) years of age or older.	
Age-restricted venue does not require each person attempting to gain entry to submit acceptable form of identification.	
No Smoking signs or the international *Non-Smoking* symbol are not conspicuously posted at every entrance.	
Garage type doors in non-enclosed areas are not completely open.	
Tents or awnings with removable sides or vents in non-enclosed areas are not completely removed or open.	
Smoke from non-enclosed areas is infiltrating into areas where smoking is prohibited.	
Smoking observed where smoking is prohibited by the Act.	

Warewashing Info

Machine Name	Sanitizer Type	PPM	Temperature (Fahrenheit)
Three comp sink	Quat		

Equipment Temperature

Description	Temperature (Fahrenheit)
Beverage Air	33
Traulsen RIC	39
Traulsen RIC #2	37
Traulsen RIC three door	27

Food Temperature

Description	State of Food	Temperature (Fahrenheit)
Grilled Chicken Filet	Hot Holding	150
Fried Chicken Filet	Hot Holding	170
Raw Hamburger Patty	Cold Holding	38
Raw Pork Sausage Patty	Cold Holding	38
4oz Raw Hamburger Patty	Cold Holding	31
4oz Hamburger Patty	Cooking	183
Boneless Wings	Hot Holding	136
Chicken Tenders	Cooking	203
Spicy Chicken Filet	Hot Holding	162
Sliced Tomatoes	Cold Holding	41
Lettuce	Cold Holding	39
Raw Chicken	Cold Holding	40



Establishment Information

Establishment Name: WHATABURGER # 1288

Establishment Number : 605313989

Comments/Other Observations

- 1: (IN): ANSI Certified Manager present.
- 2: Establishment has employee illness policy
- 3: (IN) There are no food workers observed working with specific reportable symptoms or illnesses.
- 4: (IN) Employee isn't drinking, eating, or using tobacco in a food preparation area.
- 5: (IN) No employees exhibiting persistent coughing, sneezing, runny nose, or watery eyes.
- 6:
- 7: (IN) Employees are observed using suitable utensils or gloves to prevent bare hand (or arm) contact with ready-to-eat foods.
- 8: (IN): All handsinks are properly equipped and conveniently located for food employee use.
- 9: See sources
- 10: (NO): No food received during inspection.
- 11: (IN) All food was in good, sound condition at time of inspection.
- 12: (NA) Shell stock not used and parasite destruction not required at this establishment.
- 13: (IN) All raw animal food is separated and protected as required.
- 14: (IN) All food contact surfaces of equipment and utensils cleaned and sanitized using approved methods.
- 15: (IN) No unsafe, returned or previously served food served.
- 16: See temps
- 17: (NO) No TCS foods reheated during inspection.
- 18: No foods observed in cooling during inspection
- 19: See temps
- 20: See temps
- 21: (IN) Verified date marking system in place for all ready-to-eat TCS foods that are held longer than 24 hours.
- 22: Food items labeled with TILT tickets are in time window for TILT procedure
- 23: (NA) Establishment does not serve animal food that is raw or undercooked.
- 24: (NA) A highly susceptible population is not served.
- 25: (NA) Establishment does not use any additives or sulfites on the premises.
- 26:
- 27: (NA) Establishment is not required to have a variance or HACCP plan, performs no special processes.
- 57:
- 58:

***See page at the end of this document for any violations that could not be displayed in this space.

Additional Comments

See last page for additional comments.

***See page at the end of this document for any extra Additional Comments that could not be displayed in this space.

Establishment Information

Establishment Name: WHATABURGER # 1288

Establishment Number : 605313989

Comments/Other Observations (cont'd)

Additional Comments (cont'd)

See last page for additional comments.

Establishment Information

Establishment Name: WHATABURGER # 1288

Establishment Number #: 605313989

Sources

Source Type: Food Source: Mclane

Source Type: Water Source: City

Source Type: Source:

Source Type: Source:

Source Type: Source:

Additional Comments

Three comp sink not set up during inspection