

TENNESSEE DEPARTMENT OF HEALTH
DIVISION OF ENVIRONMENTAL HEALTH
FOOD INSPECTION DATA



Establishment Information

Establishment Name: Capitol Theatre Concessions

Establishment Number #: 605259163

NSPA Survey – To be completed if #57 is “No”

Age-restricted venue does not affirmatively restrict access to its buildings or facilities at all times to persons who are twenty-one (21) years of age or older.

Age-restricted venue does not require each person attempting to gain entry to submit acceptable form of identification.

No Smoking signs or the international "Non-Smoking" symbol are not conspicuously posted at every entrance.

Garage type doors in non-enclosed areas are not completely open.

Tents or awnings with removable sides or vents in non-enclosed areas are not completely removed or open.

Smoke from non-enclosed areas is infiltrating into areas where smoking is prohibited.

Smoking observed where smoking is prohibited by the Act.

Warewashing Info

Machine Name

Sanitizer Type

PPM

Temperature (Fahrenheit)

Three comp sink

Chlorine

Equipment Temperature

Item	Description	Unit	Quantity	Unit Price	Total Price
1	...	...	...	...	...
2	...	...	...	...	...
3	...	...	...	...	...
4	...	...	...	...	...
5	...	...	...	...	...
6	...	...	...	...	...
7	...	...	...	...	...
8	...	...	...	...	...
9	...	...	...	...	...
10	...	...	...	...	...
11	...	...	...	...	...
12	...	...	...	...	...
13	...	...	...	...	...
14	...	...	...	...	...
15	...	...	...	...	...
16	...	...	...	...	...
17	...	...	...	...	...
18	...	...	...	...	...
19	...	...	...	...	...
20	...	...	...	...	...
21	...	...	...	...	...
22	...	...	...	...	...
23	...	...	...	...	...
24	...	...	...	...	...
25	...	...	...	...	...
26	...	...	...	...	...
27	...	...	...	...	...
28	...	...	...	...	...
29	...	...	...	...	...
30	...	...	...	...	...
31	...	...	...	...	...
32	...	...	...	...	...
33	...	...	...	...	...
34	...	...	...	...	...
35	...	...	...	...	...
36	...	...	...	...	...
37	...	...	...	...	...
38	...	...	...	...	...
39	...	...	...	...	...
40	...	...	...	...	...
41	...	...	...	...	...
42	...	...	...	...	...
43	...	...	...	...	...
44	...	...	...	...	...
45	...	...	...	...	...
46	...	...	...	...	...
47	...	...	...	...	...
48	...	...	...	...	...
49	...	...	...	...	...
50	...	...	...	...	...
51	...	...	...	...	...
52	...	...	...	...	...
53	...	...	...	...	...
54	...	...	...	...	...
55	...	...	...	...	...
56	...	...	...	...	...
57	...	...	...	...	...
58	...	...	...	...	...
59	...	...	...	...	...
60	...	...	...	...	...
61	...	...	...	...	...
62	...	...	...	...	...
63	...	...	...	...	...
64	...	...	...	...	...
65	...	...	...	...	...
66	...	...	...	...	...
67	...	...	...	...	...
68	...	...	...	...	...
69	...	...	...	...	...
70	...	...	...	...	...
71	...	...	...	...	...
72	...	...	...	...	...
73	...	...	...	...	...
74	...	...	...	...	...
75	...	...	...	...	...
76	...	...	...	...	...
77	...	...	...	...	...
78	...	...	...	...	...
79	...	...	...	...	...
80	...	...	...	...	...
81	...	...	...	...	...
82	...	...	...	...	...
83	...	...	...	...	...
84	...	...	...	...	...
85	...	...	...	...	...
86	...	...	...	...	...
87	...	...	...	...	...
88	...	...	...	...	...
89	...	...	...	...	...
90	...	...	...	...	

Temperature (Fahrenheit)

Centaur Plus RIC

35

Hotpoint Chest Freezer

14

Food Temperature

Description

State of Food

Temperature (Fahrenheit)

TENNESSEE DEPARTMENT OF HEALTH
DIVISION OF ENVIRONMENTAL HEALTH
FOOD INSPECTION DATA



Establishment Information

Establishment Name: Capitol Theatre Concessions

Establishment Number : 605259163

Comments/Other Observations

- 1: (IN): PIC demonstrates knowledge by correctly answering questions regarding principles applicable to the food operation. (IN): ANSI Certified Manager present.
- 2: PIC has knowledge of symptoms and illness
- 3: (IN) There are no food workers observed working with specific reportable symptoms or illnesses.
- 4: (N.O.) No food workers present.
- 5: (N.O.) No food workers present at the time of inspection.
- 6: No employees present at time of inspection
- 7: (NO) No food workers present during the inspection.
- 8: (IN): All handsinks are properly equipped and conveniently located for food employee use.
- 9: See sources
- 10: (NO): No food received during inspection.
- 11: (IN) All food was in good, sound condition at time of inspection.
- 12: (NA) Shell stock not used and parasite destruction not required at this establishment.
- 13: (IN) All raw animal food is separated and protected as required.
- 14: (IN) All food contact surfaces of equipment and utensils cleaned and sanitized using approved methods.
- 15: (IN) No unsafe, returned or previously served food served.
- 16: No foods cooked during inspection
- 17: (NO) No TCS foods reheated during inspection.
- 18: No cooling of foods during inspection
- 19: (NO) TCS food is not being held hot during inspection.
- 20: See temps
- 21: (IN) Verified date marking system in place for all ready-to-eat TCS foods that are held longer than 24 hours.
- 22: (NA) No food held under time as a public health control.
- 23: (NA) Establishment does not serve animal food that is raw or undercooked.
- 24:
- 25: (NA) Establishment does not use any additives or sulfites on the premises.
- 26: (IN) All poisonous or toxic items are properly identified, stored, and used.
- 27: (NA) Establishment is not required to have a variance or HACCP plan, performs no special processes.
- 57:
- 58:

***See page at the end of this document for any violations that could not be displayed in this space.

Additional Comments

See last page for additional comments.

***See page at the end of this document for any extra Additional Comments that could not be displayed in this space.

Establishment Information

Establishment Name: Capitol Theatre Concessions

Establishment Number : 605259163

Comments/Other Observations (cont'd)**Additional Comments (cont'd)*****See last page for additional comments.***

Establishment Information

Establishment Name: Capitol Theatre Concessions

Establishment Number #: 605259163

Sources

Source Type: Water

Source: City

Source Type: Food

Source: Gold Medal Papa Johns Pizza

Source Type:

Source:

Source Type:

Source:

Source Type:

Source:

Additional Comments

Concession not operating during insoection.
Three comp sink not set up during inspection.