



TENNESSEE DEPARTMENT OF HEALTH
FOOD SERVICE ESTABLISHMENT INSPECTION REPORT

SCORE
92

Establishment Name: Dixie Queen
Address: 1472 E. Shelby Dr.
City: Memphis
Inspection Date: 03/06/2024
Time in: 12:30 PM
Time out: 02:00 PM
Risk Category: 01
Number of Seats: 36

Risk Factors are food preparation practices and employee behaviors most commonly reported to the Centers for Disease Control and Prevention as contributing factors in foodborne illness outbreaks. Public Health interventions are control measures to prevent illness or injury.

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

(Mark designated compliance status (IN, OUT, NA, NO) for each numbered item. For items marked OUT, mark COS or R for each item as applicable. Deduct points for category or subcategory.)

Table with 2 main sections: 'Supervision' and 'Employee Health' on the left; 'Cooking and Reheating of Time/Temperature Control For Safety (TCS) Foods' and 'Cooling and Holding, Date Marking, and Time as a Public Health Control' on the right. Includes columns for compliance status (IN, OUT, NA, NO), COS, R, and WT.

Good Retail Practices are preventive measures to control the introduction of pathogens, chemicals, and physical objects into foods.

GOOD RETAIL PRACTICES

Table with 2 main sections: 'Safe Food and Water' and 'Food Temperature Control' on the left; 'Utensils and Equipment' and 'Physical Facilities' on the right. Includes columns for compliance status (OUT), COS, R, and WT.

Failure to correct any violations of risk factor items within ten (10) days may result in suspension of your food service establishment permit. Repeated violation of an identical risk factor may result in revocation of your food service establishment permit.

Signature of Person In Charge: [Signature] Date: 03/06/2024
Signature of Environmental Health Specialist: [Signature] Date: 03/06/2024

Additional food safety information can be found on our website, http://tn.gov/health/article/eh-foodservice

TENNESSEE DEPARTMENT OF HEALTH
 DIVISION OF ENVIRONMENTAL HEALTH
 FOOD INSPECTION DATA



Establishment Information	
Establishment Name:	Dixie Queen
Establishment Number #:	605197621

NSPA Survey – To be completed if #57 is "No"	
Age-restricted venue does not affirmatively restrict access to its buildings or facilities at all times to persons who are twenty-one (21) years of age or older.	
Age-restricted venue does not require each person attempting to gain entry to submit acceptable form of identification.	
"No Smoking" signs or the International "Non-Smoking" symbol are not conspicuously posted at every entrance.	
Garage type doors in non-enclosed areas are not completely open.	
Tents or awnings with removable sides or vents in non-enclosed areas are not completely removed or open.	
Smoke from non-enclosed areas is infiltrating into areas where smoking is prohibited.	
Smoking observed where smoking is prohibited by the Act.	

Warewashing Info			
Machine Name	Sanitizer Type	PPM	Temperature (Fahrenheit)

Equipment Temperature	
Description	Temperature (Fahrenheit)

Food Temperature		
Description	State of Food	Temperature (Fahrenheit)

Observed Violations

Total # 9

Repeated # 0

- 34: No thermometer observed in walk in cooler
- 35: No labels on food containers in walk in cooler
- 38: Male employee not wearing beard guard while prepping food
- 39: Wiping cloths improperly stored in hand sink, on prep cooler
- 49: Sewage outcropping in food prep, repairs completed
- 51: Restroom not clean
- 53: Floor, cooking equipment, and walls not clean
- 55: Current permit not posted
- 56: Current inspection not posted



Establishment Information

Establishment Name: Dixie Queen

Establishment Number : 605197621

Comments/Other Observations

- 1:
- 2:
- 3:
- 4:
- 5:
- 6:
- 7:
- 8: Violation corrected
No hand soap at hand sink
- 9:
- 10:
- 11:
- 12:
- 13:
- 14: Violation corrected
Cutting board on prep cooler excessively worn
- 15:
- 16:
- 17:
- 18:
- 19:
- 20:
- 21: Violation corrected
Date marking on TCS foods in walk cooler
- 22:
- 23:
- 24:
- 25:
- 26:
- 27:
- 57:
- 58:

***See page at the end of this document for any violations that could not be displayed in this space.

Additional Comments

See last page for additional comments.

***See page at the end of this document for any extra Additional Comments that could not be displayed in this space.

Establishment Information

Establishment Name: Dixie Queen

Establishment Number : 605197621

Comments/Other Observations (cont'd)

Additional Comments (cont'd)

See last page for additional comments.

Establishment Information

Establishment Name: Dixie Queen

Establishment Number #: 605197621

Sources

Source Type: Source:

Additional Comments

At the time of the follow- up inspection, another sewage outcropping was found near the ice machine area and the drink station area. The establishment was closed immediately. A plumbing company was onsite and the repairs were completed. The establishment is now open.

Jraffanti5@gmail.com