

**TENNESSEE DEPARTMENT OF HEALTH
DIVISION OF ENVIRONMENTAL HEALTH
FOOD INSPECTION DATA**



Establishment Information	
Establishment Name:	DRURY PLAZA HOTEL: Level 8 Kitchen and Bar
Establishment Number #:	605262030

NSPA Survey – To be completed if #57 is "No"	
Age-restricted venue does not affirmatively restrict access to its buildings or facilities at all times to persons who are twenty-one (21) years of age or older.	
Age-restricted venue does not require each person attempting to gain entry to submit acceptable form of identification.	
"No Smoking" signs or the International "Non-Smoking" symbol are not conspicuously posted at every entrance.	
Garage type doors in non-enclosed areas are not completely open.	
Tents or awnings with removable sides or vents in non-enclosed areas are not completely removed or open.	
Smoke from non-enclosed areas is infiltrating into areas where smoking is prohibited.	
Smoking observed where smoking is prohibited by the Act.	

Warewashing Info			
Machine Name	Sanitizer Type	PPM	Temperature (Fahrenheit)
3-compartment sink not set up High-temperature dish washer	Heat		171

Equipment Temperature	
Description	Temperature (Fahrenheit)
Walk in cooler	34
Walk in freezer	-1

Food Temperature		
Description	State of Food	Temperature (Fahrenheit)
Sliced deli turkey on Preptable-cooler	Cold Holding	33
Sliced tomatoes in Preptable-cooler	Cold Holding	35
Sliced tomatoes in Walk in cooler	Cold Holding	39

Observed Violations

Total # 1

Repeated # 0

26: Assorted chemical containers stored in proximity to single service gloves and cups, and portion bags on shelf next to ice machine.

CA: shelf properly arranged.

TENNESSEE DEPARTMENT OF HEALTH
DIVISION OF ENVIRONMENTAL HEALTH
FOOD INSPECTION DATA



Establishment Information

Establishment Name: DRURY PLAZA HOTEL: Level 8 Kitchen and Bar

Establishment Number : 605262030

Comments/Other Observations

- 1: (IN): PIC demonstrates knowledge by correctly answering questions regarding principles applicable to the food operation.
- 2: Posted and reviewed.
- 3: (IN) There are no food workers observed working with specific reportable symptoms or illnesses.
- 4: (N.O.) No food workers present.
- 5: (N.O.) No food workers present at the time of inspection.
- 6: No employees present.
- 7: (NO) No food workers present during the inspection.
- 8: (IN): All handsinks are properly equipped and conveniently located for food employee use.
- 9: Food source(s) listed.
- 10: (NO): No food received during inspection.
- 11: (IN) All food was in good, sound condition at time of inspection.
- 12: (NA) Shell stock not used and parasite destruction not required at this establishment.
- 13: (IN) All raw animal food is separated and protected as required.
- 14: (IN) All food contact surfaces of equipment and utensils cleaned and sanitized using approved methods.
- 15: (IN) No unsafe, returned or previously served food served.
- 16: All food received is precooked.
- 17: (NA) No TCS foods reheated for hot holding.
- 18: No cooling.
- 19: (NA) Establishment does not hot hold TCS foods.
- 20: Food temps listed.
- 21: (IN) Verified date marking system in place for all ready-to-eat TCS foods that are held longer than 24 hours.
- 22: (NA) No food held under time as a public health control.
- 23: (NA) Establishment does not serve animal food that is raw or undercooked.
- 24: (NA) A highly susceptible population is not served.
- 25: (NA) Establishment does not use any additives or sulfites on the premises.
- 27: (NA) Establishment is not required to have a variance or HACCP plan, performs no special processes.
- 57:
- 58:

***See page at the end of this document for any violations that could not be displayed in this space.

Additional Comments

See last page for additional comments.

***See page at the end of this document for any extra Additional Comments that could not be displayed in this space.

Establishment Information

Establishment Name: DRURY PLAZA HOTEL: Level 8 Kitchen and Bar

Establishment Number : 605262030

Comments/Other Observations (cont'd)**Additional Comments (cont'd)*****See last page for additional comments.***

Establishment Information

Establishment Name: DRURY PLAZA HOTEL: Level 8 Kitchen and Bar

Establishment Number #: 605262030

Sources

Source Type: Food Source: Us foods

Source Type: Water Source: City

Source Type: Source:

Source Type: Source:

Source Type: Source:

Additional Comments

- 1.) Discussed proper labeling.
- 2.) Discussed not using soda water for sanitizing.