



TENNESSEE DEPARTMENT OF HEALTH
FOOD SERVICE ESTABLISHMENT INSPECTION REPORT

SCORE
99

Establishment Name: Firehouse Subs
Address: 480 Long Hollow Pike, STE E
City: Goodlettsville
Inspection Date: 02/24/2023
Risk Category: 03
Number of Seats: 45

Risk Factors are food preparation practices and employee behaviors most commonly reported to the Centers for Disease Control and Prevention as contributing factors in foodborne illness outbreaks. Public Health interventions are control measures to prevent illness or injury.

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

Table with 2 main columns: Supervision, Employee Health, Good Hygienic Practices, Preventing Contamination by Hands, Approved Source, Protection from Contamination, Cooking and Reheating of Time/Temperature Control For Safety (TCS) Foods, Cooling and Holding, Date Marking, and Time as a Public Health Control, Consumer Advisory, Highly Susceptible Populations, Chemicals, Conformance with Approved Procedures.

Good Retail Practices are preventive measures to control the introduction of pathogens, chemicals, and physical objects into foods.

GOOD RETAIL PRACTICES

Table with 2 main columns: Safe Food and Water, Food Temperature Control, Food Identification, Prevention of Food Contamination, Proper Use of Utensils, Utensils and Equipment, Physical Facilities, Administrative Items, Compliance Status, Non-Smokers Protection Act.

Failure to correct any violations of risk factor items within ten (10) days may result in suspension of your food service establishment permit. Repeated violation of an identical risk factor may result in revocation of your food service establishment permit.

Signature of Person In Charge: [Signature] Date: 02/24/2023
Signature of Environmental Health Specialist: [Signature] Date: 02/24/2023

Additional food safety information can be found on our website, http://tn.gov/health/article/eh-foodservice

TENNESSEE DEPARTMENT OF HEALTH
 DIVISION OF ENVIRONMENTAL HEALTH
 FOOD INSPECTION DATA



Establishment Information

Establishment Name: Firehouse Subs
 Establishment Number #: 605213689

NSPA Survey – To be completed if #57 is “No”

Age-restricted venue does not affirmatively restrict access to its buildings or facilities at all times to persons who are twenty-one (21) years of age or older.	
Age-restricted venue does not require each person attempting to gain entry to submit acceptable form of identification.	
No Smoking signs or the International *Non-Smoking* symbol are not conspicuously posted at every entrance.	
Garage type doors in non-enclosed areas are not completely open.	
Tents or awnings with removable sides or vents in non-enclosed areas are not completely removed or open.	
Smoke from non-enclosed areas is infiltrating into areas where smoking is prohibited.	
Smoking observed where smoking is prohibited by the Act.	

Warewashing Info

Machine Name	Sanitizer Type	PPM	Temperature (Fahrenheit)
3 comp sink not set up	Quat		

Equipment Temperature

Description	Temperature (Fahrenheit)
Rif	0
Ric	38
Ric	35
Make line cooler	36

Food Temperature

Description	State of Food	Temperature (Fahrenheit)
Chicken	Cold Holding	38
Turkey	Cold Holding	37
Ham	Cold Holding	39
Steak	Cold Holding	38
Brisket	Cold Holding	40
Pastrami	Cold Holding	38
Diced tomatoes	Cold Holding	40
Turkey	Cold Holding	40
Chili	Hot Holding	140
Meatballs	Hot Holding	145
Diced tomatoes	Cold Holding	41
Lettuce	Cold Holding	40

Observed Violations

Total # 1

Repeated # 0

46: Water damaged quat test strips



Establishment Information

Establishment Name: Firehouse Subs

Establishment Number : 605213689

Comments/Other Observations

- 1: (IN): PIC demonstrates knowledge by correctly answering questions regarding principles applicable to the food operation.
- 2: (IN): PIC has knowledge of symptoms and diseases of foodborne illnesses.
- 3: (IN) There are no food workers observed working with specific reportable symptoms or illnesses.
- 4: (IN) Employee isn't drinking, eating, or using tobacco in a food preparation area.
- 5: (IN) No employees exhibiting persistent coughing, sneezing, runny nose, or watery eyes.
- 6: Good hand washing
- 7: (IN) Employees are observed using suitable utensils or gloves to prevent bare hand (or arm) contact with ready-to-eat foods.
- 8: (IN): All handsinks are properly equipped and conveniently located for food employee use.
- 9: See source
- 10: (NO): No food received during inspection.
- 11: (IN) All food was in good, sound condition at time of inspection.
- 12: (NA) Shell stock not used and parasite destruction not required at this establishment.
- 13: (IN) All raw animal food is separated and protected as required.
- 14: (IN) All food contact surfaces of equipment and utensils cleaned and sanitized using approved methods.
- 15: (IN) No unsafe, returned or previously served food served.
- 16: (NO) No raw animal foods cooked during inspection.
- 17: (NO) No TCS foods reheated during inspection.
- 18: (N.O.) No cooling of TCS foods during inspection.
- 19: See temps
- 20: See temps
- 21: (IN) Verified date marking system in place for all ready-to-eat TCS foods that are held longer than 24 hours.
- 22: (NO) Time as a public health control is not being used during the inspection.
- 23: (NA) Establishment does not serve animal food that is raw or undercooked.
- 24: (NA) A highly susceptible population is not served.
- 25: (NA) Establishment does not use any additives or sulfites on the premises.
- 26: (IN) All poisonous or toxic items are properly identified, stored, and used.
- 27: (NA) Establishment is not required to have a variance or HACCP plan, performs no special processes.
- 57:
- 58:

***See page at the end of this document for any violations that could not be displayed in this space.

Additional Comments

See last page for additional comments.

***See page at the end of this document for any extra Additional Comments that could not be displayed in this space.

Establishment Information

Establishment Name: Firehouse Subs

Establishment Number : 605213689

Comments/Other Observations (cont'd)

Additional Comments (cont'd)

See last page for additional comments.

Establishment Information

Establishment Name: Firehouse Subs

Establishment Number #: 605213689

Sources

Source Type: Food Source: MCcartney, Merchants

Source Type: Water Source: White house

Source Type: Source:

Source Type: Source:

Source Type: Source:

Additional Comments