

TATTOO ESTABLISHMENT INSPECTION REPORT TENNESSEE DEPARTMENT OF HEALTH DIVISION OF ENVIRONMENTAL HEALTH

| ESTABLISHMENT Chrome Halo | | | | | DATE 09/18/24 SCORE | | SCORE | | |
|---|---|---|---|---|---|--|-----------------------------|---|--|
| LOCATION 517 A West. Main St. STAFF Regina Brown | | | | | EST. NO. 665227748 | | 100/100 | | |
| CITY, STATE, ZIPTYPEMurfreesboroTN 37129Permanent | | | | PURPOSE Routine | | | | | |
| PERMITTEE CHROME HALO LLC | | | | | | LLOW- UP () YES QUIRED 💓 NO | | | |
| PROHIBITED ACTS | | | | | 1 | LIGHTING | | | |
| 1. Minor clients, tattoo removal, unhealthy site | | | | 19 |). 1 | Adequate 1 | | | |
| 2. Licensed artist not on duty | | 2 | | VENTILATION | | | | | |
| PHYSICAL FACILITIES | | | 20. Sufficient, installed, maintained 1 | | | | | | |
| Work area separated | | | | GENERAL OPERATIONS | | | NS . | | |
| * 4. Autoclave meets minimum time, tem | Autoclave meets minimum time, temperature, pressure | | + | 21 | . 1 | Foxic items stored, labeled, us | ed | 5 | |
| 5. Regulated waste properly disposed | | 2 | | | P | Premises maintained free of lit | tter, unnecessary articles, | | |
| WATER | | | | 22 | 2. u | unauthorized personnel, animals, clean, maintenance, 1 | | 1 | |
| Water source approved, hot and cold under pressure | | | | | c | equipment properly stored | | | |
| SEWAGE | | | - | | 1 | FATTOO EQUIPMENT | & UTENSILS | | |
| Sewage and liquid waste disposal | | | | Properly installed, maintained, constructed, design | | , constructed, designed | 1 | | |
| PLUMBING | | | • | 8 24. No reuse of single use articles | | | 5 | | |
| Installed, maintained | | | | 25 | 5. 0 | Clean, free of abrasives and cleaners | | | |
| 9. Cross-connection, backflow, back-siphonage | | 5 | | 26 | 5. A | Aisles unobstructed | | | |
| TOILET/HANDWASHING FA | CILITIES | | 010 | | 7 | TATTOO OPERATIONS | š | | |
| Installed, designed, number, convenient, available | | | • | 27 | 7. 0 | Good hygienic practices, prope | er handwashing | 5 | |
| Enclosed, tight-fitting doors, fixtures clean, toilet tissue, covered receptacles, antibacterial soap, disposable towels/hand drying devices | | | | 28 | 3. C | Clean clothing, lap cloth used, | spill kits available | 1 | |
| | | 1 | • | 29 | | Employees with infectious les from tattooing | ions on hands restricted | 5 | |
| GARBAGE & REFUSE DISPOSAL | | | * | 30 |). N | Monthly microbiological monitoring tests | | | |
| 12. rodent proof. Outside storage area cle | | | • | 31 | * E | Tubes and needles sterilized in an approved manner. Equipment sterilized for no more than one (1) year. | | 5 | |
| covered, controlled incineration | | | | 32 | _ | Work room equipped and resto | | 5 | |
| INSECT/RODENT CONTROL | | | * | 33 | _ | Sterile instruments properly handled | | | |
| Presence/evidence of insects, rodents, harborage—outer openings protected. | | 5 | * | 34 | _ | Reusable instruments properly handled | | | |
| | | | - | 35 | | Approved dyes or pigments | | 1 | |
| FLOORS/WALLS/CEILINGS/FURNISHINGS 14. Floors—constructed, drained, clean, good repair 1 | | | - | 36 | _ | | | | |
| | | | _ | 31 | - | and the second | of tattoo/body piercing | 1 | |
| Walls—constructed, clean, good repa Ceilings/attached equipment—constructed | | 1 | 1 | - | | ADMINISTRATION | | 1 | |
| 16. repair | | | | 38 | 3. I | infections reported | | 0 | |
| and the second se | | | | 39 | | Current permit/license posted | | 0 | |
| Work area furnishings—clean, good repair | | | | 40 | 40. Most current complete inspection report available | | | 0 | |

Identifies critical items

Failure to correct any violations of critical items within seven (7) days or failure to correct violations of any noncritical items within fourteen (14) days may result in suspension of your tattoo establishment permit. If a second critical violation is committed within the period of one (1) year (calendar or otherwise), the tattoo studio shall be subject to a civil penalty of up to five hundred dollars (\$500) and the tattoo studio's permit may be revoked. Items identified as constituting imminent health hazards shall be corrected immediately or operations shall cease. You are required to post the tattoo establishment permit in a conspicuous manner and to keep this impection report available at this facility for public disclosure to any person who requests to review it. You have the right to request a review regarding this report by filing a written request with the local health department within ten (10) days of the date of this report. T.C.A. Sections 62-38-201 et. seq., 68-1-103, 4-5-202, and 4-5-320.

Signature of Person in Charge

By 02:22 PM

Time in/out

03:05 PM

EHS

09/18/24

Date of Signature

TATTOO ESTABLISHMENT INSPECTION REPORT TENNESSEE DEPARTMENT OF HEALTH DIVISION OF ENVIRONMENTAL HEALTH



Establishment Information

Establishment Name: Chrome Halo Establishment Number: 665227748

Observed Violations

Total # 0

***See page at the end of this document for any violations that could not be displayed in this space.

Additional Comments

***See page at the end of this document for any extra Additional Comments that could not be displayed in this space.

Establishment Information

Establishment Name: Chrome Halo

Establishment Number: 665227748

Observed Violations (cont'd)

Additional Comments (cont'd) Source Type: Water

Source: Murfreesboro City

Many people have hepatitis C and do not know it

CDC now recommends all adults be tested for hepatitis C

Licensed facilities use safe tattooing and/or piercing techniques that are proven to prevent hepatitis C and other infections such as HIV







For more information, call your local health department https://www.tn.gov/health/health-program-areas/localdepartments.html

