

**TENNESSEE DEPARTMENT OF HEALTH
DIVISION OF ENVIRONMENTAL HEALTH
FOOD INSPECTION DATA**



Establishment Information	
Establishment Name:	River Terrace
Establishment Number #:	605215930

NSPA Survey – To be completed if #57 is “No”	
Age-restricted venue does not affirmatively restrict access to its buildings or facilities at all times to persons who are twenty-one (21) years of age or older.	
Age-restricted venue does not require each person attempting to gain entry to submit acceptable form of identification.	
“No Smoking” signs or the international “Non-Smoking” symbol are not conspicuously posted at every entrance.	
Garage type doors in non-enclosed areas are not completely open.	
Tents or awnings with removable sides or vents in non-enclosed areas are not completely removed or open.	
Smoke from non-enclosed areas is infiltrating into areas where smoking is prohibited.	
Smoking observed where smoking is prohibited by the Act.	

Warewashing Info			
Machine Name	Sanitizer Type	PPM	Temperature (Fahrenheit)
Warewasher	Chlor	100	

Equipment Temperature	
Description	Temperature (Fahrenheit)
Freezer	0
Fridge	39
White upright freezer	0
Black fridge	38

Food Temperature		
Description	State of Food	Temperature (Fahrenheit)
Angel hair pasta with ice	Cooling	77
Cooked shrimp	Cooling	50
Grits	Hot Holding	183
Andouii sausage	Cold Holding	38

TENNESSEE DEPARTMENT OF HEALTH
DIVISION OF ENVIRONMENTAL HEALTH
FOOD INSPECTION DATA



Establishment Information

Establishment Name: River Terrace

Establishment Number : 605215930

Comments/Other Observations

- 1: (IN): PIC demonstrates knowledge by correctly answering questions regarding principles applicable to the food operation.
- 2: Pic aware of policies
- 3: (IN) There are no food workers observed working with specific reportable symptoms or illnesses.
- 4: (IN) Employee isn't drinking, eating, or using tobacco in a food preparation area.
- 5: (IN) No employees exhibiting persistent coughing, sneezing, runny nose, or watery eyes.
- 6: Employees observed washing hands
- 7: (IN) Employees are observed using suitable utensils or gloves to prevent bare hand (or arm) contact with ready-to-eat foods.
- 8: (IN): All handsinks are properly equipped and conveniently located for food employee use.
- 9: Us foods, sysco
- 10: (NO): No food received during inspection.
- 11: (IN) All food was in good, sound condition at time of inspection.
- 12: (NA) Shell stock not used and parasite destruction not required at this establishment.
- 13: (IN) All raw animal food is separated and protected as required.
- 14: (IN) All food contact surfaces of equipment and utensils cleaned and sanitized using approved methods.
- 15: (IN) No unsafe, returned or previously served food served.
- 16: (NA) No raw animal foods served.
- 17: (NO) No TCS foods reheated during inspection.
- 18: Proper cooling techniques observed by staff in establishment.
- 19: Good hot holding observed equipment in establishment.
- 20: Good cold holding observed in equipment in kitchen.
- 21: (IN) Verified date marking system in place for all ready-to-eat TCS foods that are held longer than 24 hours.
- 22: (NA) No food held under time as a public health control.
- 23: Consumer food advisory available on menu
- 24: (NA) A highly susceptible population is not served.
- 25: (NA) Establishment does not use any additives or sulfites on the premises.
- 26: (IN) All poisonous or toxic items are properly identified, stored, and used.
- 27: (NA) Establishment is not required to have a variance or HACCP plan, performs no special processes.
- 57:
- 58:

***See page at the end of this document for any violations that could not be displayed in this space.

Additional Comments

See last page for additional comments.

***See page at the end of this document for any extra Additional Comments that could not be displayed in this space.

Establishment Information

Establishment Name: River Terrace

Establishment Number : 605215930

Comments/Other Observations (cont'd)**Additional Comments (cont'd)**

See last page for additional comments.

Establishment Information	
Establishment Name:	River Terrace
Establishment Number #:	605215930

Sources

Source Type:	Water	Source:	CPWS
Source Type:		Source:	
Source Type:		Source:	
Source Type:		Source:	
Source Type:		Source:	

Additional Comments