

CHILD CARE FACILITY INSPECTION REPORT FOR TENNESSEE DEPARTMENT OF HUMAN SERVICES DEPARTMENT OF HEALTH

ESTABLISHMENT VUMC CHILD & FAMILY CENTER - KNO)В	DATE 01/13/2023	RECOMMENDATION
LOCATION	STAFF	EST. NO.	Pending
5701 Knob Rd.	Zepher Barber	631225431	
CITY, STATE, ZIP	PURPOSE		FOLLOW- UP
Nashville TN 37209	Routine		REQUIRED () NO

		WATER SUPPLY, ICE			BEDDING, FURNITURE	
[#]	1.	Source, adequate	-	23.	Adequate	
	2.	Drinking facilities, approved types, clean, good repair,	-	24.	Clean, good repair	
	4.	adjusted	-	25.	Bed spacing	
-		SEWAGE DISPOSAL / PLUMBING			LIGHTING	
*	3.	Operating properly		26.	Adequate	
٠	4.	Cross connection		27.	Fixtures, shades, blinds clean, good repair	
+	5.	Visible sewage leaks	HEATING, VENTILATION			
		SOLID WASTE		28.	Adequate temperature	
	6,	Containers adequate, clean		29.	Noxious odors eliminated	
	7.	Storage area, grounds clean		30.	Heating and ventilation units clean, good repair	
8. Collection		Collection, disposal		INSECT, RODENT CONTROL		
		TOILETS, HANDWASHING, AND BATHING		31.	Infestation	
	9.	Fixtures adequate		32.	Harborage, control	
	10.	Fixtures clean, good repair		33.	Adequate drainage	
	11. Hygienic practices, adult supervision			SAFETY		
	12.	Soap, individual towels	- 1	34.	Toxic items (including medicines) stored and labeled	
	13.	Toilet tissue provided on holder		29.	properly	
	14.	Water temperature (90°F-120° F)		35.	Glass in hazardous locations shielded unless safety glass used	
	15.	Covered container(s)	*	36.	No broken glass in building or on playgrounds	
		BUILDING		37.	Playgrounds free of hazards likely to cause falls	
	16.	Visible cracks, sealed openings		38.	Furniture safe	
	17.	Exterior clean, painted		39.	Safety rails as required, bathtubs have safety strips or non-	
	18.	Gutters, down spouts, clean good repair		39.	slip mats	
* 19.	19.	Materials, asbestos control meets Standard			Heating units, hot water pipes, other heated objects	
		FLOORS	*	40.	protected. No visible electrical hazards. Electrical outlets protected.	
	20,	Clean, good repair	* 41.	Buildings and grounds free of unprotected, abandoned well cistern, refrigerator, or similar hazards		
	-	WALLS AND CEILINGS	40%			
	21.	Clean, good repair		42.	Barriers or fencing provided on grounds as necessary	
		an of the set of the set of the set of the set		The second se		

22. Clean, good repair ŵ Identifies critical items

DOORS AND WINDOWS

Not required for programs serving children five (5) years of age and above in school-age care programs.

Critical items shall be corrected within a time frame not to exceed thirty (30) days. Approval indicates no critical item violations of the Department of Human Services standards. Disapproval indicates critical item violations were not corrected as required. Pending indicates disapproval pending correction of critical items.

Signature of Person in Charge

01/13/2023

aller By 10:25 AM

Play equipment safe, good repair

ANIMAL CONTROL

Pets controlled, no turtles

Cages clean

Time in/out

43.

44.

45.

11:20 AM

EHS

Date of Signature

CHILDCARE FACILITY INSPECTION REPORT TENNESSEE DEPARTMENT OF HEALTH DIVISION OF ENVIRONMENTAL HEALTH



Establishment Information

Establishment Name: VUMC CHILD & FAMILY CENTER - KNOB Establishment Number : 631225431

Observed Violations

Total # 2

*34: Observed an unlabeled white spray bottle containing unknown clear liquid in room 110 storage room closet.
Corrective Action: Person-in-charge emptied solution into drain and trained employees to label chemical products.
*42: Gate leading from wooden playground into parking lot is not self-latching. Significant gap under fencing in wooden playground area. Corrective Action: Person-in-charge alerted maintenance to fix the gate latch and fill gap with soil.

***See page at the end of this document for any violations that could not be displayed in this space.

Additional Comments

Rooms inspected: Room 110 (3-4), Room 108 (toddlers), infant-toddler playground, room 104 (2), room 105, upstairs playroom.

Establishment Information

Establishment Name: VUMC CHILD & FAMILY CENTER - KNOB Establishment Number : 631225431

Observed Violations (cont'd)

Additional Comments (cont'd)