

Establishment Name: DRURY PLAZA HOTEL: Level 8 Kitchen and Bar
Establishment Number #: 605262030

Age-restricted venue does not affirmatively restrict access to its buildings or facilities at all times to persons who are twenty-one (21) years of age or older.
Age-restricted venue does not require each person attempting to gain entry to submit acceptable form of identification.
"No Smoking" signs or the International "Non-Smoking" symbol are not conspicuously posted at every entrance.
Garage type doors in non-enclosed areas are not completely open.
Tents or awnings with removable sides or vents in non-enclosed areas are not completely removed or open.
Smoke from non-enclosed areas is infiltrating into areas where smoking is prohibited.
Smoking observed where smoking is prohibited by the Act.

Machine Name	Sanitizer Type	PPM	Temperature (Fahrenheit)
Sanitizer bucket	QA	200	
3-compartment sink not set up			
Sanitizer bucket 2		200	

Description	Temperature (Fahrenheit)
Back Reach in cooler 1	40
Walk in cooler	35
Walk in freezer	-2
Back Preptable-cooler	40

Description	State of Food	Temperature (Fahrenheit)
Red sauce in back Preptable-cooler	Cold Holding	42
Sliced tomatoes in back Preptable-cooler	Cold Holding	40
Deli turkey in Walk in cooler (sandwich)	Cold Holding	39

Observed Violations

Total # 3

Repeated # 0

8: No soap at bar handsink. CA: resupplied.

11: Significantly damaged cans on storage rack. CA: cans separated for disposal.

26: Chemical spray bottle containing a clear liquid stored above single service trays. CA: bottle properly stored.

TENNESSEE DEPARTMENT OF HEALTH
DIVISION OF ENVIRONMENTAL HEALTH
FOOD INSPECTION DATA



Establishment Information

Establishment Name: DRURY PLAZA HOTEL: Level 8 Kitchen and Bar

Establishment Number : 605262030

Comments/Other Observations

- 1: (IN): PIC demonstrates knowledge by correctly answering questions regarding principles applicable to the food operation.
- 2: (IN): PIC has knowledge of symptoms and diseases of foodborne illnesses.
- 3: (IN) There are no food workers observed working with specific reportable symptoms or illnesses.
- 4: (IN) Employee isn't drinking, eating, or using tobacco in a food preparation area.
- 5: (IN) No employees exhibiting persistent coughing, sneezing, runny nose, or watery eyes.
- 6: Employees washing hands.
- 7: (IN) Employees are observed using suitable utensils or gloves to prevent bare hand (or arm) contact with ready-to-eat foods.
- 9: Food source(s) listed.
- 10: (NO): No food received during inspection.
- 12: (NA) Shell stock not used and parasite destruction not required at this establishment.
- 13: (IN) All raw animal food is separated and protected as required.
- 14: (IN) All food contact surfaces of equipment and utensils cleaned and sanitized using approved methods.
- 15: (IN) No unsafe, returned or previously served food served.
- 16: (NO) No raw animal foods cooked during inspection.
- 17: (NA) No TCS foods reheated for hot holding.
- 18: (N.A.) No cooked food is cooled, prepares no TCS food from ambient temperature ingredients that require cooling, does not receive raw eggs, shellstock, or milk.
- 19: (NA) Establishment does not hot hold TCS foods.
- 20: Food temps listed.
- 21: (IN) Verified date marking system in place for all ready-to-eat TCS foods that are held longer than 24 hours.
- 22: (NA) No food held under time as a public health control.
- 23: (NA) Establishment does not serve animal food that is raw or undercooked.
- 24: (NA) A highly susceptible population is not served.
- 25: (NA) Establishment does not use any additives or sulfites on the premises.
- 27: (NA) Establishment is not required to have a variance or HACCP plan, performs no special processes.
- 57:
- 58:

***See page at the end of this document for any violations that could not be displayed in this space.

Additional Comments

See last page for additional comments.

***See page at the end of this document for any extra Additional Comments that could not be displayed in this space.

Establishment Information

Establishment Name: DRURY PLAZA HOTEL: Level 8 Kitchen and Bar

Establishment Number : 605262030

Comments/Other Observations (cont'd)**Additional Comments (cont'd)*****See last page for additional comments.***

Establishment Information

Establishment Name: DRURY PLAZA HOTEL: Level 8 Kitchen and Bar

Establishment Number #: 605262030

Sources

Source Type:	Food	Source:	Us foods
Source Type:		Source:	
Source Type:		Source:	
Source Type:		Source:	
Source Type:		Source:	

Additional Comments