



**HOTEL/MOTEL INSPECTION REPORT  
TENNESSEE DEPARTMENT OF HEALTH  
DIVISION OF ENVIRONMENTAL HEALTH**

|  |                    |  |                                    |
|--|--------------------|--|------------------------------------|
| ESTABLISHMENT<br>Days Inn              |                    | DATE<br>06/01/21   | <b>SCORE</b><br><br><b>77 /100</b> |
| LOCATION<br>3445 Percy Priest Drive    | STAFF              | EST. NO.<br>620222635  |                                    |
| CITY, STATE, ZIP<br>Nashville TN 37214 | PURPOSE<br>Routine |  | NUMBER OF ROOMS<br><b>66</b>       |
| PERMITTEE<br>SAI LEELE INC             |                    | FOLLOW-UP REQUIRED <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO |                                    |

**WATER/ICE**

|   |   |
|---|---|
| * 1. Source, adequate   | 5 |
| * 2. Hot and cold under pressure  | 5 |
| * 3. Cross Connection   | 5 |
| 4. Ice machine automatic dispensing, prepackaged  | 2 |
| 5. Ice machine clean, maintained, free of contaminants  | 2 |
| 6. Ice storage containers and scoops smooth, constructed, designed, cleaned, stored handled, and used | 1 |
| 7. Plumbing installed and maintained  | 2 |

**SEWAGE**

|  |   |
|--|---|
| * 8. Approved sewage and liquid waste disposal, functioning properly | 5 |
|--|---|

**INSECT AND RODENT CONTROL**

|                                      |   |
|--------------------------------------|---|
| * 9. Presence of insects and rodents | 4 |
| 10. Outer openings protected         | 2 |
| 11. Harborage, attractants           | 2 |

**SOLID WASTE**

|  |   |
|--|---|
| 12. Outside storage containers, area, enclosures, constructed, clean, covered, cleaning facility | 2 |
| 13. Containers in guest rooms, lobby, hallway, assembly rooms, constructed, clean maintained     | 1 |
| 14. Outside premises shall be maintained free of litter and unnecessary articles                 | 1 |

**POISONOUS AND TOXIC MATERIALS**

|   |   |
|---|---|
| * 15. Toxic items properly stored, labeled, and used                        | 4 |
| <b>PERSONNEL</b>  |   |
| * 16. Personnel with infections restricted                                  | 4 |
| * 17. Hands washed and clean, good hygienic practices, personal cleanliness | 4 |

**FIRE SAFETY**

|   |   |
|---|---|
| * 18. Fire extinguishers, smoke detectors, fire alarms; installed, number, maintained   | 4 |
| * 19. Wiring heating, A.C. equipment, boiler room, storage areas maintained, free of litter, unnecessary articles, flammables properly stored | 4 |
| * 20. Exits, evacuation plans, fire equipment notices   | 4 |

**GENERAL CONSTRUCTION**

|   |   |
|---|---|
| 21. Personnel toilet facilities: adequate, convenient, designed, cleaned, good repair, toilet tissue, waste receptacles | 2 |
|---|---|

|   |   |
|---|---|
| 22. Personnel lavatory facilities: adequate, convenient, accessible, soap, towels, hand-drying device, waste receptacles clean, good repair | 2 |
| 23. Outside walls, roof, gutters good repair  | 1 |
| 24. Walkways, porches, hallways free of litter, unnecessary articles, good repair   | 1 |
| 25. Toilet and bathing facilities: adequate, location, designed, clean, good repair, tissue, soap, waste receptacle                         | 2 |
| 26. Bathing facility: anti-slip tubs, adequate slip strips, appliques, slip-proof mats good repair  | 2 |
| 27. Heating and cooling system adequate, maintained, installed  | 1 |
| 28. Telephone service   | 1 |
| 29. Lighting  | 1 |
| 30. Ventilation   | 1 |
| 31. Windows, doors, clean, maintained, good repair  | 2 |
| 32. Sleeping rooms adequate soap, towels, washcloths, clothes hangers, ashtrays, drinking glasses, chairs                                   | 2 |
| 33. Beds, mattresses, springs, slats, rails, pads, linens, covers, spreads clean, good repair   | 2 |
| 34. Bedding accessories, mattress pads, covers, sheets, pillows, and pillowcases adequate   | 2 |
| 35. Furniture, appliances, draperies, curtains, shades, venetian blinds clean, good repair  | 2 |
| 36. Floors, carpet clean, good repair   | 1 |
| 37. Walls, ceilings, skylights clean, good repair   | 1 |
| 38. Storage areas, closets clean, good repair   | 1 |

**LINEN/EQUIPMENT SANITIZATION**

|  |   |
|--|---|
| 39. Maintenance and cleaning equipment properly stored                       | 2 |
| 40. Clean, soiled linen properly stored                                      | 1 |
| 41. Linen room clean, orderly  | 1 |
| * 42. Sanitization rinse, glasses, linens                                    | 4 |
| 43. No reuse of single service articles                                      | 1 |
| 44. Single service articles, storage, handled, constructed, properly wrapped | 1 |

**ADMINISTRATION**

|   |   |
|---|---|
| ** 45. Current permit posted                          | 0 |
| ** 46. Most current complete inspection report posted | 0 |

Failure to correct any violations of critical items within ten (10) days may result in suspension of your hotel/motel permit. Repeated violation of identical critical item category may result in revocation of your hotel/motel permit. Items identified as constituting imminent health hazards shall be corrected immediately or operations shall cease. You are required to frame and post the hotel/motel permit and the most recent inspection report in a conspicuous manner and to keep this inspection report available at this facility for public disclosure to any person who requests to view it. You have the right to request a hearing regarding this report by filing a written request with the Commissioner within ten (10) days of the date of this report. T.C.A. Sections 68-14-307, 68-14-308, 68-14-318, 68-14-321, and 4-5-320.

(\*) Identifies critical items      (\*\*) Identifies misdemeanor violations

Signature of Person in Charge   
Date of Signature 06/01/21

By  EHS  
Time in/out 01:20 PM 02:40 PM

**HOTEL/MOTEL INSPECTION REPORT  
TENNESSEE DEPARTMENT OF HEALTH  
DIVISION OF ENVIRONMENTAL HEALTH**



**Establishment Information**

Establishment Name: Days Inn

Establishment Number : 620222635

**Observed Violations**

Total # 21

- 5: Ice machine ice shoot and around the dispenser area dirty
- 7: Faucet leaking in tub in room 307
- 10: Missing door weather strip on guest room 208
- 10: Laundry room doors prop open
- 12: Bags of trash stored behind dumpster, dumpster lid open on top
- \*18: Smoke detector not working when button push in room 208, 207,
- 22: No paper towels at hand sink in laundry room
- 25: Moldy like substance around caulking of tub, shower head dirty with scum buildup in room 208, 311
- 25: Clothes left behind bathroom door in 307
- 25: Rust and black moldy like substance in bath tub jets, missing shower curtain in room 117
- 32: Only 1 ashtray in room 307 smoking room
- 33: Holes in bed cover in room 207, 117, 307
- 33: Hole in fitted sheet on bed in room 207
- 35: Stain/dirty iron board cover in 207, 307
- 35: Dust buildup around refrigerator and microwave in room 109
- 35: Hair and food debris inside refrigerator and microwave in room 109, 208, 207- ice pack left in freezer compartment
- 35: Moldy Like substance buildup in ice compartment of refrigerator in room 208
- 35: Damage head board or/ & lamp shades in 207, 307
- 36: Trash on floor behind dresser/ refrigerator
- 36: Floor dirty in bathroom 311
- 36: Trash and debris along base board and under the bed in room 117, 109,

\*\*\*See page at the end of this document for any violations that could not be displayed in this space.

**Additional Comments**

Fire ext. tag April 2021. 66 room total on property for nightly rental. 117, 109, 207, 208, 307, 311- laundry room, boiler room, maintenance room,

\*\*\*See page at the end of this document for any extra Additional Comments that could not be displayed in this space.

***Establishment Information***

Establishment Name: Days Inn

Establishment Number : 620222635

***Observed Violations (cont'd)***

***Additional Comments (cont'd)***



What you need to know about...

## Protecting your water against waterborne pathogens

### Easily assess potential risk factors and keep your water safe for guests:

- Complete this short worksheet to see if your building is at high risk for *Legionella* growth: <https://www.cdc.gov/control-legionella/php/toolkit/wmp-worksheet.html>
- Learn the basics of a water management program: <https://www.cdc.gov/control-legionella/php/wmp/index.html>
- Learn how to keep your pools and hot tubs safe for guest use: <https://www.cdc.gov/control-legionella/php/hospitality/index.html>
- Reach out with questions or concerns: [Legionella.Health@tn.gov](mailto:Legionella.Health@tn.gov)



### What is *Legionella*?

*Legionella* are bacteria that can cause a serious lung infection called Legionnaires' disease. People can get sick when they inhale water droplets that contain the bacteria.



### How does *Legionella* affect water systems?

*Legionella* bacteria grow naturally in the environment and in water. They can also grow in building water systems. Buildings with large water systems, like hotels, may be more likely to grow *Legionella*. If the bacteria are present, they can be spread through aerosols produced by: hot and cold water systems, showerheads, decorative fountains, hot tubs, cooling towers, and more.



### Why should you care?

*Legionella* can potentially grow and spread in building or recreational water systems that can often result in a large number of guests getting sick affecting your business's reputation and income.



### What can you do to prevent *Legionella* and other waterborne diseases?

You can protect your guests, staff, and business by assessing your water system and learning about water management programs. Using a water management program can help identify potential hazards in your water system to prevent the growth and spread of harmful bacteria.



### Recreational Water Illnesses - What You Should Know.

Preventing recreational water illnesses (RWIs) is possible when operators, patrons, and local health departments work together to ensure compliance with rules and regulations for permitted establishments. Absence or low levels of sanitizing residual in pools, spas, splash pads, and other types of recreational water can result in the spread germs that cause diarrhea as well as skin and respiratory RWIs.





# Clean Up & Disinfect For **NOROVIRUS** A STOMACH BUG

Act fast! Clean up any vomit or diarrhea immediately.



Only use hot water & bleach if fabric laundering directions permit



\*If using regular strength bleach (5.25%), increase the amount of bleach to 1 cup.



Any vomit or diarrhea may contain norovirus and should be treated as though it does.

Cualquier vomito o diarrea puede contener norovirus y debe ser tratado como si lo hiciera.

Toute vomissure ou diarrhée peut contenir un norovirus et doit être traitée comme si elle en contenait.

任何呕吐或腹泻都可能含有诺如病毒，治疗时应视为含有诺如病毒处理。

Scientific experts from the U.S. Centers for Disease Control and Prevention (CDC) helped to develop this poster. For more information on norovirus prevention, please see <http://www.cdc.gov/norovirus/preventing-infection.html>.

