



TENNESSEE DEPARTMENT OF HEALTH
FOOD SERVICE ESTABLISHMENT INSPECTION REPORT

SCORE
95

Establishment Name: Moe's Southwest Grill
Address: 5510 Hwy 153, STE A
City: Hixson
Inspection Date: 07/24/2023
Establishment #: 605193625
Risk Category: 01
Number of Seats: 96

Risk Factors are food preparation practices and employee behaviors most commonly reported to the Centers for Disease Control and Prevention as contributing factors in foodborne illness outbreaks. Public Health interventions are control measures to prevent illness or injury.

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

Table with 2 main columns: Supervision, Employee Health, Good Hygienic Practices, Preventing Contamination by Hands, Approved Source, Protection from Contamination, Cooking and Reheating of Time/Temperature Control For Safety (TCS) Foods, Cooling and Holding, Date Marking, and Time as a Public Health Control, Consumer Advisory, Highly Susceptible Populations, Chemicals, Conformance with Approved Procedures.

Good Retail Practices are preventive measures to control the introduction of pathogens, chemicals, and physical objects into foods.

GOOD RETAIL PRACTICES

Table with 2 main columns: Safe Food and Water, Food Temperature Control, Food Identification, Prevention of Food Contamination, Proper Use of Utensils, Utensils and Equipment, Physical Facilities, Administrative Items, Compliance Status, Non-Smokers Protection Act.

Failure to correct any violations of risk factor items within ten (10) days may result in suspension of your food service establishment permit. Repeated violation of an identical risk factor may result in revocation of your food service establishment permit.

Signature of Person In Charge: [Signature] Date: 07/24/2023
Signature of Environmental Health Specialist: [Signature] Date: 07/24/2023

Additional food safety information can be found on our website, http://tn.gov/health/article/eh-foodservice

TENNESSEE DEPARTMENT OF HEALTH
 DIVISION OF ENVIRONMENTAL HEALTH
 FOOD INSPECTION DATA



Establishment Information

Establishment Name: Moe's Southwest Grill
 Establishment Number #: 605193625

NSPA Survey – To be completed if #57 is "No"

Age-restricted venue does not affirmatively restrict access to its buildings or facilities at all times to persons who are twenty-one (21) years of age or older.	
Age-restricted venue does not require each person attempting to gain entry to submit acceptable form of identification.	
"No Smoking" signs or the International "Non-Smoking" symbol are not conspicuously posted at every entrance.	
Garage type doors in non-enclosed areas are not completely open.	
Tents or awnings with removable sides or vents in non-enclosed areas are not completely removed or open.	
Smoke from non-enclosed areas is infiltrating into areas where smoking is prohibited.	
Smoking observed where smoking is prohibited by the Act.	

Warewashing Info

Machine Name	Sanitizer Type	PPM	Temperature (Fahrenheit)

Equipment Temperature

Description	Temperature (Fahrenheit)

Food Temperature

Description	State of Food	Temperature (Fahrenheit)

Observed Violations

Total # 4

Repeated # 0

45:

47:

49:

54:



Establishment Information

Establishment Name: Moe's Southwest Grill

Establishment Number : 605193625

Comments/Other Observations

- 1:
- 2:
- 3:
- 4:
- 5:
- 6:
- 7:
- 8:
- 9:
- 10:
- 11:
- 12:
- 13:
- 14:
- 15:
- 16:
- 17:
- 18:
- 19:
- 20:
- 21:
- 22:
- 23:
- 24:
- 25:
- 26:
- 27:
- 57:
- 58:

***See page at the end of this document for any violations that could not be displayed in this space.

Additional Comments

See last page for additional comments.

***See page at the end of this document for any extra Additional Comments that could not be displayed in this space.

Establishment Information

Establishment Name: Moe's Southwest Grill

Establishment Number : 605193625

Comments/Other Observations (cont'd)

Additional Comments (cont'd)

See last page for additional comments.

Establishment Information

Establishment Name: Moe's Southwest Grill

Establishment Number #: 605193625

Sources

Source Type: Source:

Source Type: Source:

Source Type: Source:

Source Type: Source:

Source Type: Source:

Additional Comments

Cooler holding at 41F.